



ELSEVIER

Marine Micropaleontology 32 (1997) 401–402

MARINE
MICROPALEONTOLOGY

Contents Volume 32, 1997

Special Issue: Marine Micropaleontology in China (Edited by WANG Pinxian)

Introduction	1
Marine Cretaceous–Paleogene biofacies and ichnofacies in southern Tibet, China, and their sedimentary significance	
Z. Zhou, H. Willems and B. Zhang	3
Calcareous nannofossil biostratigraphy in the Pearl River Mouth Basin, South China Sea, and Neogene reticulofenestrid coccoliths size distribution pattern	
L. Huang	31
<i>Pulleniatina obliquiloculata</i> as a paleoceanographic indicator in the southern Okinawa Trough during the last 20,000 years	
Li Baohua, Jian Zhimin and Wang Pinxian	59
Surface ocean and monsoon climate variability in the South China Sea since the last glaciation	
C.-Y. Huang, S.-F. Wu, M. Zhao, M.-T. Chen, Chung-Ho Wang, X. Tu and P.B. Yuan	71
Glacial–Holocene calcareous nannofossils and paleoceanography in the northern South China Sea	
K.-Y. Wei, T.-N. Yang and C.-Y. Huang	95
Late Quaternary pteropods in the South China Sea: carbonate preservation and paleoenvironmental variation	
L. Wang, Z. Jian and J. Chen	115
Late Quaternary benthic foraminifera and deep-water paleoceanography in the South China Sea	
Z. Jian and L. Wang	127
Controlling factors of coccolith distribution in surface sediments of the China seas: marginal sea nannofossil assemblages revisited	
X. Cheng and P. Wang	155
Radiolarian distribution in surface sediments of the northern and central South China Sea	
M. Chen and Z. Tan	173
Distribution of the ostracod genera <i>Krithe</i> and <i>Parakrithe</i> in bottom sediments of the East China and Yellow seas	
Q. Zhao and R. Whatley	195
<i>Regular Research Papers</i>	
Distribution of diatoms in surface sediments of Prydz Bay, Antarctica	
F. Taylor, A. McMinn and D. Franklin	209
Magnesium and strontium compositions of Recent benthic foraminifera from the Coral Sea, Australia and Prydz Bay, Antarctica	
A.E. Rathburn and P. De Deckker	231
Recent benthic foraminifera from the eastern South Atlantic Ocean: Dependence on food supply and water masses	
G. Schmiedl, A. Mackensen and P.J. Müller	249
The surface ocean productivity response of deeper water benthic foraminifera in the Atlantic Ocean	
M. Fariduddin and P. Loubere	289

New estimates for salinity changes in the Western Pacific Warm Pool during the Last Glacial Maximum: oxygen-isotope evidence J.I. Martinez, P. De Deckker and A.R. Chivas	311
Response of nannoplankton to major changes in sea-surface temperature and movements of hydrological fronts over Site DSDP 594 (south Chatham Rise, southeastern New Zealand), during the last 130 kyr P. Wells and H. Okada	341
Paleozoic and Triassic conodonts from the Northwind Ridge of the Arctic Ocean D.L. Clark, A. Grantz and M.W. Mullen	365
Parmales species (siliceous marine nanoplankton) in surface sediments of the Weddell Sea, Southern Ocean: indicators for sea ice environment? U. Zielinski	387
<i>Discussion</i>	
The El Kef blind test: How blind was it? — Comment T.J. Kouwenhoven	397
Not so blind El Kef Test — Reply R.N. Ginsburg	399

